

E. A. CARLISLE, POPE & CO.,  
SUCCESSORS TO

Levi Boles & Son,  
DOORS,  
WINDOWS  
AND  
BLINDS.




SPECIAL ATTENTION GIVEN TO PACKING  
FOR TRANSPORTATION  
BY RAILROAD OR VESSEL.

HAYMARKET SQ., Cor. Sudbury St.,

CONNECTED BY  
TELEPHONE.

BOSTON.







Jan. 1, 1894.

In relinquishing business to E. A. Carlisle, Pope & Co., Mr. Frank W. Boles desires to express the hope that the esteemed correspondents of Levi Boles & Son will continue their accounts with the new firm.

Its facilities and experience enable it to faithfully execute all orders confided to its care.

# **E. A. CARLISLE, POPE & CO.**

EDWARD A. CARLISLE,  
With Levi Boles & Son 26 years.

STEPHEN A. POPE.

---

In presenting our revised size-book of goods kept ready-made, we desire to call attention to the numerous changes in and additions to stock since our last issue, making the largest and most complete assortment in New England.

As the **only successors** to the business and stand of the old and reliable firm of **Levi Boles & Son** (established in 1836), we solicit a continuance of patronage by all **old customers**, and hope by strict integrity and faithful attention to business to make many **new ones**.

Our business being both wholesale and retail, we buy in large quantities for cash, which enables us to sell at the very lowest market rates. Estimates from schedules or plans cheerfully furnished.

We hope to hear from you by way of order or inquiry.

---

**E. A. CARLISLE, POPE & CO.,**

SUCCESSORS TO

**LEVI BOLES & SON,**

**Doors, Windows, Frames, Hot-Bed Sashes, Etc.,**

**Haymarket Sq., corner Sudbury St.,**

**BOSTON.**

## **HOW TO ORDER.**

---

### **DOORS.**

State height, width, thickness, quality and number of panels, whether O. G. raised panel or moulded two sides, also kind of wood. Where not specified we always understand Pine is desired.

All  $1\frac{1}{4}$  and  $1\frac{1}{2}$  Doors finish a trifle scant.

### **WINDOWS.**

For all kinds included in our lists, state size of glass, thickness of sash, number of lights, and whether lip or plain; also, whether German or American glass.

For all kinds not included in our lists, state height, width, thickness of sash, number of lights, and whether lip or plain; also, whether German or American glass.

We understand a Window to be two pieces to fill opening; and a Sash to be one piece to fill opening.

### **BLINDS.**

For all kinds included in our lists of Windows, state size of glass and number of lights in the windows they are to cover, and whether stationary or half-rolling shades, for brick or wooden buildings; also whether first or second quality.

For all kinds not included in our lists of Windows, state height, width, and whether stationary or half-rolling shades; also whether first or second quality.

---

### **PLEASE TAKE NOTICE:**

All our Windows have 3-8 inch Lips.

## **HOW TO ORDER.**

---

### **WINDOW FRAMES.**

For all kinds included in our list, state size of glass and number of lights in the windows which are to fill them, thickness of the windows, and whether they are lip or plain, for Brick or for Wooden buildings.

For all kinds not included in our list, state height, width, and thickness of the windows which are to fill them, and state whether lip or plain, for Brick or Wooden buildings.

### **DOOR FRAMES.**

State width of jamb, and the thickness of the doors which are to fill them.

---

### **PLEASE NOTE THE FOLLOWING:**

It is economy to conform to regular sizes and styles as much as possible.

Be explicit in giving orders and state fully your wants. Do not assume that we know them.

---

### **PLEASE TAKE NOTICE:**

All our Windows have 3-8 inch Lips.



WINDOW FRAMES FOR WOOD, IN STOCK.

7× 9 1¼ in.	pl'n.	12 l'ts.	5½ in.	H. Pine.	Jambs.	No Pul'ys.
7× 9 1¼ "	lip	"	"	"	"	"
8× 10 1¼ "	plain	"	"	"	"	"
8× 10 1¼ "	lip	"	"	"	"	"
8× 12 1¼ "	plain	"	"	"	"	"
8× 12 1¼ "	lip	"	"	"	"	"
8× 12 1½ "	"	"	"	"	"	"
9× 12 1¼ "	plain	"	"	"	"	"
9× 12 1¼ "	lip	"	"	"	"	"
9× 12 1⅝ "	"	"	"	"	"	"
9× 12 1½ "	"	"	"	"	"	"
9× 13 1¼ "	plain	"	"	"	"	"
9× 13 1¼ "	lip	"	"	"	"	"
9× 13 1⅝ "	"	"	"	"	"	"
9× 13 1½ "	"	"	"	"	"	"
9× 14 1½ "	"	"	"	"	"	"
9× 15 1½ "	"	"	"	"	"	"
10× 14 1½ "	"	"	"	"	"	"
10× 15 1½ "	"	"	"	"	"	"

7× 9 1½ in.	lip.	12 l'ts.	5½ in.	H. Pine.	J'mbs.	Pul'ys.	P'kts.
8× 10 1½ "	"	"	"	"	"	"	"
8× 12 1½ "	"	"	"	"	"	"	"
9× 10 1½ "	"	"	"	"	"	"	"
9× 12 1½ "	"	"	"	"	"	"	"
9× 13 1½ "	"	"	"	"	"	"	"
9× 14 1½ "	"	"	"	"	"	"	"
9× 15 1½ "	"	"	"	"	"	"	"
9× 16 1½ "	"	"	"	"	"	"	"
10× 10 1½ "	"	"	"	"	"	"	"
10× 12 1½ "	"	"	"	"	"	"	"
10× 13 1½ "	"	"	"	"	"	"	"
10× 14 1½ "	"	"	"	"	"	"	"
10× 15 1½ "	"	"	"	"	"	"	"
10× 16 1½ "	"	"	"	"	"	"	"
10× 17 1½ "	"	"	"	"	"	"	"
10× 18 1½ "	"	"	"	"	"	"	"
12× 14 1½ "	"	"	"	"	"	"	"
12× 15 1½ "	"	"	"	"	"	"	"
12× 16 1½ "	"	"	"	"	"	"	"
12× 18 1½ "	"	"	"	"	"	"	"
14× 28 1½ "	"	4 "	"	"	"	"	"

*Odd sizes made to order at short notice.*

*Circle and Swell Frames a specialty.*



## WINDOW FRAMES FOR WOOD, IN STOCK.

9×12	1½ in.	lip.	12 l'ts.	4½ in.	H.	Pine.	J'mbs.	Pul'ys.	P'kts.
9×13	1½	"	"	"	"	"	"	"	"
9×14	1½	"	"	"	"	"	"	"	"
9×15	1½	"	"	"	"	"	"	"	"
10×14	1½	"	"	"	"	"	"	"	"
10×15	1½	"	"	"	"	"	"	"	"
10×16	1½	"	"	"	"	"	"	"	"
10×17	1½	"	"	"	"	"	"	"	"

## SOFT PINE WINDOW FRAMES.

We keep 7×9, 8×10, 8×12, 9×12 and 9×13, 1¼ in.; 8×12 and 9×13, 1½ in.; all 12-lighted, lip. Also, 8×10, 8×12 and 9×13, 1¼ in., plain.






## BAY WINDOW FRAMES.

We keep 15×28 and 15×30 for 1½ 4 lights; and 18×28, 18×30, 20×28 and 20×30 for 1½ 2 lights: all 14 inch horns.

## CELLAR WINDOW FRAMES.

The following are always in stock: 7×9, 3 lights; 8×10, 3 lights; 8×12, 3 lights; 9×12, 3 lights; 9×13, 3 lights; 9×14, 3 lights; 10×12, 3 lights; 10×14, 3 lights; 10×15, 3 lights; 10×16, 3 lights; and 10×18, 3 lights.

## OUTSIDE DIMENSIONS OF CELLAR SASHES.

-  are 3¼ in. higher and 3¼ in. wider than glass.
-  are 3¼ in. higher and 3½ in. wider than glass.
-  are 3¼ in. higher and 3½ in. wider than glass.
-  are 3¼ in. higher and 3½ in. wider than glass.
-  are 3¾ in. higher and 3¾ in. wider than glass.

## WINDOW FRAMES FOR BRICK WORK

furnished at short notice, either in shooks or put together. Some sizes in stock. Consult us before ordering.

We keep *Hatch-Wall Flashing* for window and door frames. (See cut, page 31.)

## 12-LIGHTED WINDOWS.

(See cut, page 26.)

SIZE OF GLASS.	SIZE OF WINDOWS.
6× 8.....	3 ft. 1 in. × 1 ft. 9 <sup>5</sup> / <sub>8</sub> in.
7× 9.....	3 " 5 " × 2 " 0 <sup>5</sup> / <sub>8</sub> "
8× 10.....	3 " 9 " × 2 " 3 <sup>5</sup> / <sub>8</sub> "
8× 11.....	4 " 1 " × 2 " 3 <sup>5</sup> / <sub>8</sub> "
8× 12.....	4 " 5 " × 2 " 3 <sup>5</sup> / <sub>8</sub> "
9× 11.....	4 " 1 " × 2 " 6 <sup>5</sup> / <sub>8</sub> "
9× 12.....	4 " 5 " × 2 " 6 <sup>5</sup> / <sub>8</sub> "
9× 13.....	4 " 9 " × 2 " 6 <sup>5</sup> / <sub>8</sub> "
9× 14.....	5 " 1 " × 2 " 6 <sup>5</sup> / <sub>8</sub> "
9× 15.....	5 " 5 " × 2 " 6 <sup>5</sup> / <sub>8</sub> "
9× 16.....	5 " 9 " × 2 " 6 <sup>5</sup> / <sub>8</sub> "
10× 12.....	4 " 5 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
10× 13.....	4 " 9 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
10× 14.....	5 " 1 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
10× 15.....	5 " 5 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
10× 16.....	5 " 9 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
10× 17.....	6 " 1 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
10× 18.....	6 " 5 " × 2 " 9 <sup>5</sup> / <sub>8</sub> "
11× 15.....	5 " 5 " × 3 " 0 <sup>5</sup> / <sub>8</sub> "
11× 16.....	5 " 9 " × 3 " 0 <sup>5</sup> / <sub>8</sub> "
11× 17.....	6 " 1 " × 3 " 0 <sup>5</sup> / <sub>8</sub> "
11× 18.....	6 " 5 " × 3 " 0 <sup>5</sup> / <sub>8</sub> "
12× 15.....	5 " 5 " × 3 " 3 <sup>5</sup> / <sub>8</sub> "
12× 16.....	5 " 9 " × 3 " 3 <sup>5</sup> / <sub>8</sub> "
12× 17.....	6 " 1 " × 3 " 3 <sup>5</sup> / <sub>8</sub> "
12× 18.....	6 " 5 " × 3 " 3 <sup>5</sup> / <sub>8</sub> "
12× 20.....	7 " 1 " × 3 " 3 <sup>5</sup> / <sub>8</sub> "

Above have  $\frac{3}{8}$ -inch lips.

For the *thicknesses* of windows kept ready-made, see the pages on which the weights are given.

**Blinds** are the same width, and  $\frac{1}{2}$  inch higher.

We keep the best Blind Trimmings that are made.

**German Glass** is regarded as the best in every particular.

**American Glass** is sufficiently good for ordinary purposes.

**Leaded Glass Windows** a specialty.

## Weights required for 12-Lighted Windows.

SIZE OF GLASS.	THICKNESS.	WEIGHTS.	THICKNESS.	WEIGHTS.	THICKNESS.	WEIGHTS.
6× 8	1¼ in. ....	.....	.....	.....	.....	.....
7× 9	1¼ " .....	.....	.....	.....	.....	.....
8× 10	1¼ " 3½ lbs.	1⅞ in. 3½ lbs.	1½ in. 4½ lbs.	.....	.....	.....
8× 11	1¼ " .....	.....	.....	.....	.....	.....
8× 12	1¼ " 4 lbs.	1⅞ in. 4½ lbs.	1½ in. 4½ lbs.	.....	.....	.....
9× 11	1¼ " .....	.....	.....	.....	.....	.....
9× 12	1¼ " 4½ lbs.	1⅞ in. 4½ lbs.	1½ " 4½ "	.....	.....	.....
9× 13	1¼ " 4½ "	1⅞ " 5 "	1½ " 5 "	.....	.....	.....
9× 14	.....	1⅞ " 5 "	1½ " 5½ "	.....	.....	.....
9× 15	.....	1⅞ " 5 "	1½ " 5½ "	.....	.....	.....
9× 16	.....	.....	1½ " 6 "	.....	.....	.....
10× 12	1¼ in. 4½ lbs.	.....	1½ " 5 "	.....	.....	.....
10× 13	.....	.....	1½ " 5½ "	.....	.....	.....
10× 14	1¼ in. 5 lbs.	1⅞ in. 5½ lbs.	1½ " 5½ "	.....	.....	.....
10× 15	.....	1⅞ " 5½ "	1½ " 6 "	.....	.....	.....
10× 16	.....	.....	1½ " 6½ "	.....	.....	.....
10× 17	.....	.....	1½ " 6½ "	.....	.....	.....
10× 18	.....	.....	1½ " 7 "	.....	.....	.....
11× 15	.....	.....	1½ " 6½ "	.....	.....	.....
11× 16	.....	.....	1½ " 7 "	.....	.....	.....
11× 17	.....	.....	1½ " 7 "	.....	.....	.....
11× 18	.....	.....	1½ " 7½ "	.....	.....	.....
12× 15	.....	.....	1½ " 7 "	.....	.....	.....
12× 16	.....	.....	1½ " 7½ "	.....	.....	.....
12× 17	.....	.....	1½ " 7½ "	.....	.....	.....
12× 18	.....	.....	1½ " 8 "	.....	.....	.....
12× 20	.....	.....	1½ " 9 "	.....	.....	.....

It will be to your advantage to include *Window Weights* in your order. For all kinds not specified in list, we weigh windows (marking weight required on each sash), thereby insuring proper weights and saving your time.

We furnish *Window Cord* at lowest price.

# E. A. CARLISLE, POPE & CO.

## 4-LIGHTED WINDOWS. (See cut, page 26.)

SIZE OF GLASS.	SIZE OF WINDOWS.
10½ × 18.....	3 ft. 5 in. × 2 ft. 0½ in.
10½ × 22½.....	4 " 2 " × 2 " 0½ "
10¾ × 22¾.....	4 " 2¼ " × 2 " 1¼ "
12 × 20.....	3 " 9 " × 2 " 3½ "
12 × 22.....	4 " 1 " × 2 " 3½ "
12 × 24.....	4 " 5 " × 2 " 3½ "
12 × 25.....	4 " 7 " × 2 " 3½ "
12 × 26.....	4 " 9 " × 2 " 3½ "
12 × 28.....	5 " 1 " × 2 " 3½ "
12 × 30.....	5 " 5 " × 2 " 3½ "
12½ × 25.....	4 " 7¼ " × 2 " 4¼ "
13½ × 18.....	3 " 5 " × 2 " 6½ "
13½ × 20.....	3 " 9 " × 2 " 6½ "
13½ × 22.....	4 " 1 " × 2 " 6½ "
13½ × 24.....	4 " 5 " × 2 " 6½ "
13½ × 26.....	4 " 9 " × 2 " 6½ "
13½ × 28.....	5 " 1 " × 2 " 6½ "
13½ × 30.....	5 " 5 " × 2 " 6½ "
13½ × 32.....	5 " 9 " × 2 " 6½ "
13½ × 34.....	6 " 1 " × 2 " 6½ "
13½ × 36.....	6 " 5 " × 2 " 6½ "
14 × 24.....	4 " 5 " × 2 " 7½ "
14 × 26.....	4 " 9 " × 2 " 7½ "
14 × 28.....	5 " 1 " × 2 " 7½ "
14 × 30.....	5 " 5 " × 2 " 7½ "
15 × 20.....	3 " 9 " × 2 " 9½ "
15 × 24.....	4 " 5 " × 2 " 9½ "
15 × 26.....	4 " 9 " × 2 " 9½ "
15 × 28.....	5 " 1 " × 2 " 9½ "
15 × 30.....	5 " 5 " × 2 " 9½ "
15 × 32.....	5 " 9 " × 2 " 9½ "
15 × 34.....	6 " 1 " × 2 " 9½ "
15 × 36.....	6 " 5 " × 2 " 9½ "
16 × 28.....	5 " 1 " × 2 " 11½ "
16 × 30.....	5 " 5 " × 2 " 11½ "
16 × 32.....	5 " 9 " × 2 " 11½ "
16 × 34.....	6 " 1 " × 2 " 11½ "
16 × 36.....	6 " 5 " × 2 " 11½ "
18 × 28.....	5 " 1 " × 3 " 3½ "
18 × 30.....	5 " 5 " × 3 " 3½ "
18 × 32.....	5 " 9 " × 3 " 3½ "
18 × 34.....	6 " 1 " × 3 " 3½ "
18 × 36.....	6 " 5 " × 3 " 3½ "

Above have ¾-inch lips.  
width, and ½ inch higher.

*Blinds* are the same

Weights Required for 4-lighted Windows.

Size of Glass.	Th'kn'ss Weights.	Th'kn'ss Weights.	Th'kn'ss Weights.
10½ × 18	1¼ in. 3 lbs.	1⅝ in. 3 lbs.	1½ in. 3½ lbs.
10½ × 22½	1¼ " 3 "	.....	.....
10¾ × 22¾	1¼ " 3½ "	.....	.....
12 × 20	1¼ " 3½ "	1⅝ in. 3½ lbs.	1½ in. 4½ lbs.
12 × 22	.....	1⅝ " 4 "	1½ " 4½ "
12 × 24	1¼ in. 4 lbs.	1⅝ " 4½ "	1½ " 4½ "
12 × 25	1¼ " 4 "	1⅝ " 4½ "	.....
12 × 26	.....	1⅝ " 4½ "	1½ in. 4½ lbs.
12 × 28	.....	.....	1½ " 5 "
12 × 30	.....	.....	1½ " 5½ "
12½ × 25	1¼ in. 4½ lbs.	.....	.....
13½ × 18	.....	.....	1½ in. 4½ lbs.
13½ × 20	.....	.....	1½ " 4½ "
13½ × 22	.....	.....	1½ " 4½ "
13½ × 24	1¼ in. 4½ lbs.	1⅝ in. 4½ lbs.	1½ " 5 "
13½ × 26	1¼ " 4½ "	1⅝ " 5 "	1½ " 5 "
13½ × 28	1¼ " 4½ "	1⅝ " 5 "	1½ " 5½ "
13½ × 30	.....	1⅝ " 5 "	1½ " 5½ "
13½ × 32	.....	.....	1½ " 6 "
13½ × 34	.....	.....	1½ " 6 "
13½ × 36	.....	.....	1½ " 6½ "
14 × 24	.....	1⅝ in. 4½ lbs.	.....
14 × 26	.....	1⅝ " 5 "	1½ in. 5 lbs.
14 × 28	1¼ in. 4½ lbs.	1⅝ " 5 "	1½ " 5½ "
14 × 30	.....	1⅝ " 5½ "	1½ " 5½ "
15 × 20	.....	.....	1½ " 5 "
15 × 24	.....	.....	1½ " 5 "
15 × 26	.....	.....	1½ " 5½ "
15 × 28	.....	1⅝ in. 5½ lbs.	1½ " 5½ "
15 × 30	.....	1⅝ " 5½ "	1½ " 6 "
15 × 32	.....	1⅝ " 6½ "	1½ " 6½ "
15 × 34	.....	.....	1½ " 6½ "
15 × 36	.....	.....	1½ " 7 "
16 × 28	.....	.....	1½ " 6½ "
16 × 30	.....	.....	1½ " 6½ "
16 × 32	.....	.....	1½ " 7 "
16 × 34	.....	.....	1½ " 7 "
16 × 36	.....	.....	1½ " 7½ "
18 × 28	.....	.....	1½ " 6½ "
18 × 30	.....	.....	1½ " 7 "
18 × 32	.....	.....	1½ " 7½ "
18 × 34	.....	.....	1½ " 8 "
18 × 36	.....	.....	1½ " 8½ "

# E. A. CARLISLE, POPE & CO.

## 2-LIGHTED WINDOWS. (See cut, page 26).

Size of Glass.	SIZE OF WINDOWS.				Thickness.	Weights.
13½ × 24	4 ft. 5 in.	× 1 ft. 5 in.	1½ in.	3 lbs.		
13½ × 26	4 " 9 "	× 1 " 5 "	1½ "	3½ "		
13½ × 28	5 " 1 "	× 1 " 5 "	1½ "	3½ "		
13½ × 30	5 " 5 "	× 1 " 5 "	1½ "	4 "		
13½ × 32	5 " 9 "	× 1 " 5 "	1½ "	4½ "		
15 × 24	4 " 5 "	× 1 " 6½ "	1½ "	3½ "		
15 × 26	4 " 9 "	× 1 " 6½ "	1½ "	3½ "		
15 × 28	5 " 1 "	× 1 " 6½ "	1½ "	4 "		
15 × 30	5 " 5 "	× 1 " 6½ "	1½ "	4 "		
15 × 32	5 " 9 "	× 1 " 6½ "	1½ "	4½ "		
15 × 34	6 " 1 "	× 1 " 6½ "	1½ "	4½ "		
15 × 36	6 " 5 "	× 1 " 6½ "	1½ "	5 "		
16 × 26	4 " 9 "	× 1 " 7½ "	1½ "	4 "		
16 × 28	5 " 1 "	× 1 " 7½ "	1½ "	4 "		
16 × 30	5 " 5 "	× 1 " 7½ "	1½ "	4½ "		
16 × 32	5 " 9 "	× 1 " 7½ "	1½ "	4½ "		
16 × 34	6 " 1 "	× 1 " 7½ "	1½ "	5 "		
16 × 36	6 " 5 "	× 1 " 7½ "	1½ "	5½ "		
18 × 24	4 " 5 "	× 1 " 9½ "	1½ "	4 "		
18 × 26	4 " 9 "	× 1 " 9½ "	1½ "	4 "		
18 × 28	5 " 1 "	× 1 " 9½ "	1½ "	4½ "		
18 × 30	5 " 5 "	× 1 " 9½ "	1½ "	4½ "		
18 × 32	5 " 9 "	× 1 " 9½ "	1½ "	5 "		
18 × 34	6 " 1 "	× 1 " 9½ "	1½ "	5 "		
18 × 36	6 " 5 "	× 1 " 9½ "	1½ "	5½ "		
20 × 24	4 " 5 "	× 1 " 11½ "	1½ "	4 "		
20 × 26	4 " 9 "	× 1 " 11½ "	1½ "	4 "		
20 × 28	5 " 1 "	× 1 " 11½ "	1½ "	4 "		
20 × 30	5 " 5 "	× 1 " 11½ "	1½ "	4½ "		
20 × 32	5 " 9 "	× 1 " 11½ "	1½ "	5 "		
20 × 34	6 " 1 "	× 1 " 11½ "	1½ "	5½ "		
20 × 36	6 " 5 "	× 1 " 11½ "	1½ "	5½ "		
22 × 28	5 " 1 "	× 2 " 1½ "	1½ "	4½ "		
22 × 30	5 " 5 "	× 2 " 1½ "	1½ "	5 "		
24 × 28	5 " 1 "	× 2 " 3½ "	1½ "	5 "		
24 × 30	5 " 5 "	× 2 " 3½ "	1½ "	5½ "		
27 × 24	4 " 5 "	× 2 " 6½ "	1½ "	5½ "		
27 × 26	4 " 9 "	× 2 " 6½ "	1½ "	5 "		
27 × 28	5 " 1 "	× 2 " 6½ "	1½ "	5½ "		
27 × 30	5 " 5 "	× 2 " 6½ "	1½ "	5½ "		
30 × 26	4 " 9 "	× 2 " 9½ "	1½ "	5½ "		
30 × 28	5 " 1 "	× 2 " 9½ "	1½ "	5½ "		
30 × 30	5 " 5 "	× 2 " 9½ "	1½ "	6 "		
30 × 32	5 " 9 "	× 2 " 9½ "	1½ "	6½ "		
30 × 34	6 " 1 "	× 2 " 9½ "	1½ "	6½ "		

Above have 3-8 in. lips.

Windows 24 in. glass and wider, have 1 1-2 in. meeting rails.

Windows glazed with DOUBLE THICK glass require weights one to two pounds each heavier than above.



2-LIGHTED WINDOWS. (See cut, page 26.)

Size of Glass	SIZE OF WINDOWS.			THICKNESS.
13½ × 24	4 ft. 5 in.	× 1 ft. 5 in.	1½ in.	.....
13½ × 26	4 " 9 "	× 1 " 5 "	1½ "	.....
13½ × 28	5 " 1 "	× 1 " 5 "	1½ "	.....
13½ × 30	5 " 5 "	× 1 " 5 "	1½ "	.....
14 × 28	5 " 1 "	× 1 " 5½ "	1½ "	.....
15 × 26	4 " 9 "	× 1 " 6½ "	1½ "	.....
15 × 28	5 " 1 "	× 1 " 6½ "	1½ "	.....
15 × 30	5 " 5 "	× 1 " 6½ "	1½ "	.....
15 × 32	5 " 9 "	× 1 " 6½ "	1½ "	.....
16 × 26	4 " 9 "	× 1 " 7½ "	1½ "	.....
16 × 28	5 " 1 "	× 1 " 7½ "	1½ "	.....
16 × 30	5 " 5 "	× 1 " 7½ "	1½ "	.....
16 × 32	5 " 9 "	× 1 " 7½ "	1½ "	.....
16 × 34	6 " 1 "	× 1 " 7½ "	1½ "	.....
18 × 26	4 " 9 "	× 1 " 9½ "	1½ "	.....
18 × 28	5 " 1 "	× 1 " 9½ "	1½ "	.....
18 × 30	5 " 5 "	× 1 " 9½ "	1½ "	.....
18 × 32	5 " 9 "	× 1 " 9½ "	1½ "	.....
18 × 34	6 " 1 "	× 1 " 9½ "	1½ "	.....
20 × 26	4 " 9 "	× 1 " 11½ "	1½ "	.....
20 × 28	5 " 1 "	× 1 " 11½ "	1½ "	.....
20 × 30	5 " 5 "	× 1 " 11½ "	1½ "	.....
20 × 32	5 " 9 "	× 1 " 11½ "	1½ "	.....
20 × 34	6 " 1 "	× 1 " 11½ "	1½ "	.....

6-LIGHTED WINDOWS.

9 × 13	2 ft. 7 in.	× 2 ft. 6½ in.	1½ in.	.....
--------	-------------	----------------	--------	-------

8-LIGHTED WINDOWS.

9 × 12	4 ft. 5 in.	× 1 ft. 9½ in.	1½ in.	.....
9 × 13	4 " 9 "	× 1 " 9½ "	1½ "	.....
9 × 14	5 " 1 "	× 1 " 9½ "	1½ "	.....
10 × 14	5 " 1 "	× 1 " 11½ "	1½ "	.....
10 × 15	5 " 5 "	× 1 " 11½ "	1½ "	.....
10 × 16	5 " 9 "	× 1 " 11½ "	1½ "	.....

15-LIGHTED WINDOWS.

7 × 9	4 ft. 2 in.	× 2 ft. 0½ in.	1½ in.	.....
8 × 10	4 " 7 "	× 2 " 3½ "	1½ "	.....

Above have ¾-inch lips.

BLINDS FOR BAY WINDOWS.

Four folds for 4-Lighted. Pairs or single for 2-Lighted.  
Include Weights, Cord and Blind Trimmings in your orders.



**3-LIGHTED WINDOWS.** (See cut, page 26.)


12 × 24	1½ in.	4 ft. 5 in. × 2 ft. 3½ in.	.....
12 × 28	1½ "	5 " 1 " × 2 " 3½ "	.....
12 × 30	1½ "	5 " 5 " × 2 " 3½ "	.....
13½ × 24	1½ "	4 " 5 " × 2 " 6½ "	.....
13½ × 26	1½ "	4 " 9 " × 2 " 6½ "	.....
13½ × 28	1½ "	5 " 1 " × 2 " 6½ "	.....
13½ × 30	1½ "	5 " 5 " × 2 " 6½ "	.....
15 × 24	1½ "	4 " 5 " × 2 " 9½ "	.....
15 × 26	1½ "	4 " 9 " × 2 " 9½ "	.....
15 × 28	1½ "	5 " 1 " × 2 " 9½ "	.....
15 × 30	1½ "	5 " 5 " × 2 " 9½ "	.....
15 × 32	1½ "	5 " 9 " × 2 " 9½ "	.....
18 × 28	1½ "	5 " 1 " × 3 " 3½ "	.....
18 × 30	1½ "	5 " 5 " × 3 " 3½ "	.....

Above have 1½-inch meeting rails.

**WINDOWS.**

We keep the following sizes, plain, without lips:

Size of Glass.	Thickness.	No. of Lights.	SIZE OF WINDOW.
7 × 9	1¼	12	3 ft. 5 in. × 2 ft. 0½ in. ....
7 × 9	1¼	15	4 " 2 " × 2 " 0½ " ....
8 × 10	1¼	12	3 " 9 " × 2 " 3½ " ....
8 × 10	1¼	15	4 " 7 " × 2 " 3½ " ....
8 × 11	1¼	12	4 " 1 " × 2 " 3½ " ....
8 × 12	1¼	12	4 " 5 " × 2 " 3½ " ....
9 × 12	1¼	12	4 " 5 " × 2 " 6½ " ....
9 × 13	1¼	12	4 " 9 " × 2 " 6½ " ....
10 × 12	1¼	12	4 " 5 " × 2 " 9½ " ....
10 × 14	1¼	12	5 " 1 " × 2 " 9½ " ....
12 × 24	1¼	4	4 " 5 " × 2 " 3½ " ....
13 × 26	1¼	4	4 " 9 " × 2 " 5½ " ....
14 × 28	1¼	4	5 " 1 " × 2 " 7½ " ....



**Margin Light Sashes.**

2 ft. 0 in. × 2 ft. 0 in.

2 " 2 " × 2 " 2 "

2 " 4 " × 2 " 4 "

2 " 6 " × 2 " 6 "

1½ in. thick.

**Inside Blinds of Pine and Hard-wood a Specialty.**

We keep Outside Windows to cover most sizes of common.

CELLAR SASHES.

Size of Glass.	Thickness.	No. of Lights.	Size of Glass.	Thickness.	No. of Lights.
6×8	1½	3 lts., 1 lt. high	9×14	1½	3 lts., 1 lt. high
6×8	1½	4 " 1 " "	9×15	1½	3 " 1 " "
6×8	1½	4 " 2 " "	9×16	1½	3 " 1 " "
7×9	1½	2 " 1 " "	9×17	1½	3 " 1 " "
7×9	1½	3 " 1 " "	9×18	1½	3 " 1 " "
7×9	1½	4 " 1 " "	10×8	1½	3 " 1 " "
7×9	1½	4 " 2 " "	10×10	1½	3 " 1 " "
8×10	1½	2 " 1 " "	10×12	1½	3 " 1 " "
8×10	1½	3 " 1 " "	10×13	1½	3 " 1 " "
8×10	1½	4 " 1 " "	10×14	1½	1 " 1 " "
8×10	1½	4 " 2 " "	10×14	1½	3 " 1 " "
8×11	1½	3 " 1 " "	10×14	1½	4 " 2 " "
8×12	1½	1 " 1 " "	10×15	1½	3 " 1 " "
8×12	1½	3 " 1 " "	10×16	1½	3 " 1 " "
8×12	1½	4 " 1 " "	10×17	1½	3 " 1 " "
8×12	1½	4 " 2 " "	10×18	1½	3 " 1 " "
9×7	1½	3 " 1 " "	10×20	1½	3 " 1 " "
9×11	1½	3 " 1 " "	11×15	1½	3 " 1 " "
9×12	1½	3 " 1 " "	11×16	1½	3 " 1 " "
9×12	1½	4 " 1 " "	11×17	1½	3 " 1 " "
9×12	1½	4 " 2 " "	11×18	1½	3 " 1 " "
9×13	1½	1 " 1 " "	12×15	1½	3 " 1 " "
9×13	1½	3 " 1 " "	12×16	1½	3 " 1 " "
9×13	1½	4 " 1 " "	12×18	1½	3 " 1 " "
9×13	1½	4 " 2 " "	12×20	1½	3 " 1 " "

For the sizes of *Cellar Sash Frames* kept ready-made, see page 7.

SKYLIGHTS OR HOT-BED SASHES

6 feet 0 in. × 3 feet 0 in., 1½ and 1½ in. thick.

5	0	×	3	0	1½	"	"
4	0	×	2	6	1½	"	"
3	6	×	2	6	1½	"	"
3	4	×	2	4	1½	"	"
3	2	×	2	2	1½	"	"
3	0	×	2	0	1½	"	"

We make a specialty of *Hot-Bed* and *Green-House Sashes*. Send for prices.

*Hot-Bed Glass* kept in stock.

**PINE DOORS, four panels.**

(See cut, page 27.)

O. G. RAISED PANEL.				THICKNESS.
6 feet 0 inches	× 2 feet 0 inches			1 $\frac{1}{4}$ in .....
6 " 0 "	× 2 " 2 "			1 $\frac{1}{4}$ " .....
6 " 0 "	× 2 " 4 "			1 $\frac{1}{4}$ " .....
6 " 0 "	× 2 " 6 "			1 $\frac{1}{4}$ " .....
6 " 2 "	× 2 " 0 "			1 $\frac{1}{4}$ " .....
6 " 2 "	× 2 " 2 "			1 $\frac{1}{4}$ " .....
6 " 2 "	× 2 " 4 "			1 $\frac{1}{4}$ " .....
6 " 2 "	× 2 " 6 "			1 $\frac{1}{4}$ " .....
6 " 4 "	× 2 " 0 "			1 $\frac{1}{4}$ " .....
6 " 4 "	× 2 " 2 "			1 $\frac{1}{4}$ " .....
6 " 4 "	× 2 " 4 "			1 $\frac{1}{4}$ " ..... 1 $\frac{1}{2}$ in.
6 " 4 "	× 2 " 6 "			1 $\frac{1}{4}$ " .....
6 " 6 "	× 1 " 6 "			1 $\frac{1}{4}$ " .....
6 " 6 "	× 2 " 0 "			1 $\frac{1}{4}$ " .....
6 " 6 "	× 2 " 2 "			1 $\frac{1}{4}$ " .....
6 " 6 "	× 2 " 4 "			1 $\frac{1}{4}$ " ..... 1 $\frac{1}{2}$ in.
6 " 6 "	× 2 " 6 "			1 $\frac{1}{4}$ " ..... 1 $\frac{1}{2}$ "
6 " 6 "	× 2 " 8 "			1 $\frac{1}{4}$ " ..... 1 $\frac{1}{2}$ "
6 " 8 "	× 2 " 0 "			1 $\frac{1}{4}$ " .....
6 " 8 "	× 2 " 2 "			1 $\frac{1}{4}$ " .....
6 " 8 "	× 2 " 4 "			1 $\frac{1}{4}$ " ..... 1 $\frac{1}{2}$ in.
6 " 8 "	× 2 " 6 "			1 $\frac{1}{4}$ " ..... 1 $\frac{1}{2}$ "
6 " 8 "	× 2 " 8 "			1 $\frac{1}{4}$ " 1 $\frac{1}{2}$ in. 1 $\frac{3}{4}$ "
6 " 10 "	× 2 " 10 "			..... 1 $\frac{1}{2}$ in. 1 $\frac{3}{4}$ "
7 " 0 "	× 3 " 0 "			..... 1 $\frac{3}{4}$ "

*Odd Doors* made to order.

*Door Frames* ready-made.—See page 25.

**PINE DOORS, four panels.**

(See cut, page 27.)

MOULDED BOTH SIDES.				THICKNESS.
6 feet 0 inches	× 2 feet 0 inches			1 $\frac{1}{4}$ in .....
6 " 0 "	× 2 " 2 "			1 $\frac{1}{4}$ " .....
6 " 0 "	× 2 " 4 "			1 $\frac{1}{4}$ " 1 $\frac{1}{2}$ in .....
6 " 0 "	× 2 " 6 "			1 $\frac{1}{4}$ " 1 $\frac{1}{2}$ " .....
6 " 0 "	× 2 " 8 "			..... 1 $\frac{1}{2}$ " .....
6 " 2 "	× 2 " 0 "			1 $\frac{1}{4}$ in .....

## PINE DOORS, FOUR PANELS.—Continued.

MOULDED BOTH SIDES.				THICKNESS.	
6 ft.	2 in.	× 2 ft.	2 in.	1 $\frac{1}{4}$ in.	.....
6 "	2 "	× 2 "	4 "	1 $\frac{1}{4}$ "	.....
6 "	2 "	× 2 "	6 "	1 $\frac{1}{4}$ "	.....
6 "	4 "	× 2 "	0 "	1 $\frac{1}{4}$ "	.....
6 "	4 "	× 2 "	2 "	1 $\frac{1}{4}$ "	.....
6 "	4 "	× 2 "	4 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ in. ....
6 "	4 "	× 2 "	6 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	6 "	× 1 "	6 "	1 $\frac{1}{4}$ "	.....
6 "	6 "	× 2 "	0 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	6 "	× 2 "	2 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	6 "	× 2 "	4 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	6 "	× 2 "	6 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ in. ....
6 "	6 "	× 2 "	8 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	8 "	× 2 "	0 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	8 "	× 2 "	2 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	8 "	× 2 "	4 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " ....
6 "	8 "	× 2 "	6 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ in. ....
6 "	8 "	× 2 "	8 "	1 $\frac{1}{4}$ "	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
6 "	8 "	× 2 "	10 "	.....	1 $\frac{1}{2}$ " ....
6 "	10 "	× 2 "	0 "	.....	1 $\frac{1}{2}$ " ....
6 "	10 "	× 2 "	2 "	.....	1 $\frac{1}{2}$ " ....
6 "	10 "	× 2 "	4 "	.....	1 $\frac{1}{2}$ " ....
6 "	10 "	× 2 "	6 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ in. ....
6 "	10 "	× 2 "	8 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
6 "	10 "	× 2 "	10 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
6 "	10 "	× 3 "	0 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	0 "	× 2 "	0 "	.....	1 $\frac{1}{2}$ " ....
7 "	0 "	× 2 "	2 "	.....	1 $\frac{1}{2}$ " ....
7 "	0 "	× 2 "	4 "	.....	1 $\frac{1}{2}$ " ....
7 "	0 "	× 2 "	6 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ in. ....
7 "	0 "	× 2 "	8 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	0 "	× 2 "	10 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	0 "	× 3 "	0 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	6 "	× 2 "	6 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	6 "	× 2 "	8 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	6 "	× 2 "	10 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	6 "	× 3 "	0 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
7 "	6 "	× 3 "	6 "	.....	1 $\frac{1}{2}$ " 1 $\frac{3}{4}$ " ....
8 "	0 "	× 2 "	6 "	.....	1 $\frac{3}{4}$ " ....
8 "	0 "	× 2 "	8 "	.....	1 $\frac{3}{4}$ " ....
8 "	0 "	× 2 "	10 "	.....	1 $\frac{3}{4}$ " ....
8 "	0 "	× 3 "	0 "	.....	1 $\frac{3}{4}$ " ....

WHITEWOOD DOORS, 4 Panels. (See cut, page 27.)

MOULDED BOTH SIDES.				THICKNESS.	
6 ft.	0 in.	× 2 ft.	4 in.	.....	1½ in.
6 "	4 "	× 2 "	4 "	.....	1½ "
6 "	6 "	× 2 "	0 "	.....	1½ "
6 "	6 "	× 2 "	2 "	.....	1½ "
6 "	6 "	× 2 "	4 "	1¼ in.	1½ "
6 "	6 "	× 2 "	6 "	1¼ "	1½ "
6 "	6 "	× 2 "	8 "	.....	1½ "
6 "	8 "	× 2 "	0 "	.....	1½ "
6 "	8 "	× 2 "	2 "	.....	1½ "
6 "	8 "	× 2 "	4 "	.....	1½ "
6 "	8 "	× 2 "	6 "	.....	1½ "
6 "	8 "	× 2 "	8 "	1¼ in.	1½ "
6 "	8 "	× 2 "	10 "	.....	1½ "
6 "	10 "	× 2 "	2 "	.....	1½ "
6 "	10 "	× 2 "	4 "	.....	1½ "
6 "	10 "	× 2 "	6 "	.....	1½ "
6 "	10 "	× 2 "	8 "	.....	1½ "
6 "	10 "	× 2 "	10 "	.....	1½ "
7 "	0 "	× 2 "	4 "	.....	1½ "
7 "	0 "	× 2 "	6 "	.....	1½ "
7 "	0 "	× 2 "	8 "	.....	1½ "
7 "	0 "	× 2 "	10 "	.....	1½ "
7 "	0 "	× 3 "	0 "	.....	1½ "
7 "	6 "	× 2 "	6 "	.....	1½ "

CYPRESS DOORS, 4 Panels. (See cut, page 27.)

MOULDED BOTH SIDES.				THICKNESS.	
6 ft.	0 in.	× 2 ft.	4 in.	.....	1½ in.
6 "	6 "	× 2 "	0 "	.....	1½ "
6 "	6 "	× 2 "	4 "	.....	1½ "
6 "	6 "	× 2 "	6 "	.....	1½ "
6 "	8 "	× 2 "	0 "	.....	1½ "
6 "	8 "	× 2 "	4 "	.....	1½ "
6 "	8 "	× 2 "	6 "	.....	1½ "
6 "	8 "	× 2 "	8 "	.....	1½ "
6 "	10 "	× 2 "	6 "	.....	1½ "
6 "	10 "	× 2 "	8 "	.....	1½ "
6 "	10 "	× 2 "	10 "	.....	1½ "
7 "	0 "	× 2 "	6 "	.....	1½ "
7 "	0 "	× 2 "	8 "	.....	1½ "
7 "	0 "	× 3 "	0 "	.....	1½ "

Our *Cypress* Doors have special two-bead mouldings.

# Whitewood and Cypress Doors, 5 Cross Panels.

(See cut, page 27.)

We keep in stock the following sizes: —

MOULDED BOTH SIDES.				THICKNESS.	
6 ft.	6 in.	× 2 ft.	0 in.	..... 1½ in.	.....
6 "	6 "	× 2 "	4 "	..... 1½ "	.....
6 "	6 "	× 2 "	6 "	..... 1½ "	.....
6 "	8 "	× 2 "	0 "	..... 1½ "	.....
6 "	8 "	× 2 "	4 "	..... 1½ "	.....
6 "	8 "	× 2 "	6 "	..... 1½ "	.....
6 "	8 "	× 2 "	8 "	..... 1½ "	.....
6 "	8 "	× 3 "	0 "	..... 1½ "	.....
6 "	10 "	× 2 "	4 "	..... 1½ "	.....
6 "	10 "	× 2 "	6 "	..... 1½ "	.....
6 "	10 "	× 2 "	8 "	..... 1½ "	.....
6 "	10 "	× 2 "	10 "	..... 1½ "	.....
7 "	0 "	× 2 "	6 "	..... 1¾ in.	.....
7 "	0 "	× 3 "	0 "	..... 1¾ "	.....

Our *Cypress* Doors have special two-bead mouldings.

All kinds of *odd Doors* (solid or veneered) made to order at short notice; send list and details for estimate.

Try our new pattern Front Doors, *Style P.*

*Leaded Glass* for *Doors* and *Windows* a specialty.

# PINE SASH DOORS.

(See cuts, page 27.)

3 LIGHTS, MOULDED BOTH SIDES.	THICKNESS.
6 ft. 6 in. X 2 ft. 6 in....	1 1/4 in. 1 1/2 in.....
6 " 8 " X 2 " 8 " ....	1 1/4 in. 1 1/2 " .....
6 " 10 " X 2 " 10 " ....	..... 1 1/2 " .....
4 LIGHTS, MOULDED BOTH SIDES.	THICKNESS.
6 ft. 6 in. X 2 ft. 4 in....	1 1/4 in.....
6 " 6 " X 2 " 6 " ....	1 1/4 " 1 1/2 in.....
6 " 8 " X 2 " 8 " ....	1 1/4 " 1 1/2 " 1 3/4 in.....
6 " 10 " X 2 " 10 " ....	..... 1 1/2 " 1 3/4 " .....
7 " 0 " X 3 " 0 " ....	..... 1 1/2 " 1 3/4 " .....

# PINE GLASS-PANEL DOORS.

(See cut, page 28.)

COMMON MOULDING BOTH SIDES. SQUARE GLASS.	THICKNESS.
6 ft. 6 in. X 2 ft. 6 in....	1 1/4 in. 1 1/2 in.....
6 " 8 " X 2 " 6 " ....	..... 1 1/2 " .....
6 " 8 " X 2 " 8 " ....	1 1/4 in. 1 1/2 " 1 3/4 in....
6 " 10 " X 2 " 10 " ....	..... 1 1/2 " 1 3/4 " ..
7 " 0 " X 3 " 0 " ....	..... 1 1/2 " 1 3/4 " ..
6 " 6 " X 2 " 6 " ....	..... 1 1/2 " }
6 " 8 " X 2 " 8 " ....	..... 1 1/2 " }
6 " 10 " X 2 " 10 " ....	..... 1 1/2 " }

4 Panels.

5 Panels.

*Sash Doors* may be glazed with Plain Ground Glass, Figured Ground, Enamelled, Colored, Chipped and Common Window.



**SINGLE FRONT DOORS—PINE.  
COMMON STYLE.**

(See cut, page 28.)

RAISED MOULDING ONE SIDE. SQUARE GLASS.				THICKNESS.
6 feet	6 inches	× 2 feet	6 inches..	1½ in.....
6 "	8 "	× 2 "	8 "	1½ " 1¾ in....
6 "	10 "	× 2 "	10 "	1½ " 1¾ " ....
7 "	0 "	× 3 "	0 "	1½ " 1¾ " ....
7 "	6 "	× 3 "	0 "	.....1¾ " ....

**MARLBOROUGH STYLE.—PINE.**

(See cut, page 28.)

RAISED MOULDING ONE SIDE. ONE LIGHT.				THICKNESS.
6 feet	6 inches	× 2 feet	6 inches..	1½ in.....
6 "	8 "	× 2 "	8 "	1½ " 1¾ in....
6 "	10 "	× 2 "	10 "	1½ " 1¾ " ....
7 "	0 "	× 3 "	0 "	1½ " 1¾ " ....

**BLENHEIM STYLE.—PINE.**

(See cut, page 29.)

RAISED MOULDING ONE SIDE. BORDER LIGHTS.				THICKNESS.
6 feet	8 inches	× 2 feet	8 inches..	1½ in. 1¾ in....
6 "	10 "	× 2 "	10 "	1½ " 1¾ " ....
7 "	0 "	× 3 "	0 "	1½ " 1¾ " ....

**STYLE H.—PINE.**

(See cut, page 29.)

FLUSH MOULDING BOTH SIDES. ONE LIGHT.				THICKNESS.
7 feet	0 inches	× 3 feet	0 inches..	.....1¾ in....

**STYLE B.—PINE.**

(See cut, page 29.)

RAISED MOULDING ONE SIDE. ONE LIGHT.				THICKNESS.
6 feet	8 inches	× 2 feet	8 inches..	1½ in. 1¾ in....
7 "	0 "	× 3 "	0 "	.....1¾ " ....

SINGLE FRONT DOORS.—Continued.

STYLE J — PINE.

(See cut, page 28.)

RAISED MOULDING, ONE SIDE. ONE LIGHT.	THICKNESS.
6 feet 8 inches × 2 feet 8 inches	.... 1½ in. 1¾ in.
6 " 10 " × 2 " 10 "	..... 1¾ "
7 " 0 " × 3 " 0 "	..... 1¾ "

SINGLE FRONT DOORS — CYPRESS.

We keep the following in stock, *Marlborough* or  
*Style J* : —

(See cuts, page 28.)

RAISED MOULDING, ONE SIDE. ONE LIGHT.	THICKNESS.
6 feet 8 inches × 2 feet 8 inches	.... 1½ in. 1¾ in.
6 " 10 " × 2 " 10 "	.... 1½ " 1¾ "
7 " 0 " × 3 " 0 "	..... 1¾ "

QUARTERED OAK FRONT DOORS.

We keep constantly in stock the following : —

(See cuts, pages 28 and 29.)

7 feet 0 inches × 3 feet 0 inches,	1¾ thick, Style H.
7 " 0 " × 3 " 0 "	1¾ " " J.
7 " 0 " × 3 " 6 "	1¾ " " J.

**NEW PATTERN SINGLE FRONT DOORS.**

**STYLE P.**

(See cut, page 29.)

We have just added to our stock the following : —

7 ft. 0 in.	×	3 ft. 0 in.	1 $\frac{3}{4}$ thick,	Pine.
7 " 0 "	×	3 " 6 "	1 $\frac{3}{4}$ "	" "
7 " 0 "	×	3 " 0 "	1 $\frac{3}{4}$ "	Quartered Oak.
7 " 0 "	×	3 " 6 "	1 $\frac{3}{4}$ "	" "

They have special bead moulding one side; raised and bevelled panels one side; and are superior to any in the market. Price is low for high grade design. Ask to see them.

**PAIRS FRONT DOORS — PINE.**

**COMMON STYLE.**

(See cut, page 30.)

RAISED MOULDING ONE SIDE.						THICKNESS.			
SQUARE GLASS.									
7	feet	0	inches	×	4	feet	0	inches	.....1 $\frac{3}{4}$ inches.
7	"	0	"	×	4	"	4	"	.....1 $\frac{3}{4}$ "
7	"	0	"	×	4	"	6	"	.....1 $\frac{3}{4}$ "
7	"	0	"	×	4	"	8	"	.....1 $\frac{3}{4}$ "
7	"	0	"	×	5	"	0	"	.....1 $\frac{3}{4}$ "
7	"	6	"	×	4	"	0	"	.....1 $\frac{3}{4}$ "
7	"	6	"	×	4	"	4	"	.....1 $\frac{3}{4}$ "
7	"	6	"	×	4	"	6	"	.....1 $\frac{3}{4}$ "
7	"	6	"	×	4	"	8	"	.....1 $\frac{3}{4}$ "
7	"	6	"	×	5	"	0	"	.....1 $\frac{3}{4}$ "
8	"	0	"	×	4	"	8	"	.....1 $\frac{3}{4}$ "
8	"	0	"	×	5	"	0	"	.....1 $\frac{3}{4}$ "

Try our *Style P* Front Doors.

**PAIRS FRONT DOORS — PINE.**  
**MARLBOROUGH OR STYLE J. J.**

(See cut, page 30.)

RAISED MOULDING ONE SIDE.						THICKNESS.
7 feet 0 inches	×	4 feet 0 inches				.....1 $\frac{3}{4}$ inches.
7 " 0 "	×	4 " 4 "				.....1 $\frac{3}{4}$ "
7 " 0 "	×	4 " 6 "				.....1 $\frac{3}{4}$ "
7 " 6 "	×	4 " 4 "				.....1 $\frac{3}{4}$ "
7 " 6 "	×	4 " 6 "				.....1 $\frac{3}{4}$ "
7 " 6 "	×	4 " 8 "				.....1 $\frac{3}{4}$ "

**PAIRS FRONT DOORS.**

**BLENHEIM STYLE.**

(See cut, page 30.)

RAISED MOULDING ONE SIDE. BORDER LIGHTS.						THICKNESS.
7 feet 0 inches	×	4 feet 0 inches				1 $\frac{3}{4}$ inches.....
7 " 0 "	×	4 " 4 "				1 $\frac{3}{4}$ " .....
7 " 0 "	×	4 " 6 "				1 $\frac{3}{4}$ " .....
7 " 6 "	×	4 " 4 "				1 $\frac{3}{4}$ " .....
7 " 6 "	×	4 " 6 "				1 $\frac{3}{4}$ " .....
7 " 6 "	×	4 " 8 "				1 $\frac{3}{4}$ " .....

Blenheim Front Doors glazed with all colored glass, or plain centers and colored borders, are very attractive.

All kinds of *Hard-wood Doors* made to order.

*Door Blinds*, common sizes kept in stock; stationary or top roll.

## DOOR FRAMES.

SIZE.	Width of Jambs.	RABBET.
6 ft. 8 in. × 2 ft. 8 in.	3½ in.	1¼ in 1½ in.
6 " 8 " × 2 " 8 "	4½ "	1¼ " 1½ "
6 " 8 " × 2 " 8 "	5½ "	1¼ " 1½ "
7 " 0 " × 3 " 0 "	3½ "	.....1½ "
7 " 0 " × 3 " 0 "	4½ "	.....1½ "
7 " 0 " × 3 " 0 "	5½ "	.....1½ " 1¾ in.
7 " 0 " × 3 " 0 "	5¾ "	.....1½ " 1¾ "
7 " 6 " × 5 " 0 "	5¾ "	..... 1¾ "

They are always made of 2-inch stock, and are 4 inches longer than sizes given above.

Hard Pine Thresholds for outside or inside in stock.

## WIRE SCREEN DOORS.

We keep in stock the following sizes in both 3 and 4 panels. See cuts below.


6 feet 6 inches × 2 feet 6 inches.

6 " 8 " × 2 " 8 "

6 " 10 " × 2 " 10 "

7 " 0 " × 3 " 0 "

All ⅞ in. thick.



3-Panel Screen Door.



4-Panel Screen Door.

All kinds of Door and Window Screens made to order.

WINDOWS.



8-Lighted.



15-Lighted.



12-Lighted.



6-Lighted.



2-Lighted.



3-Lighted.



4-Lighted.



O.G. Raised Panel.




Flush Moulded.



Five Cross Panels,  
Flush Moulded.



3-Lighted Sash.




4-Lighted Sash.






Style J.



Marlborough.




Common.



Glass Panels,  
Flush Mould,  
Five Panels.



Glass Panels,  
Flush Mould,  
Four Panels.



Style H.




Blenheim.




Style B




Style P.



Common.



Marlborough.




Blenheim.



Style JJ.

We can furnish *Style P* in pairs at short notice.  
We furnish superior *Leaded Glass* at lowest prices.

**CARLISLE'S  
IMPROVED  
Burglar-Proof Window-Sash Lock.**



Patent applied for  
by  
**W. A. Carlisle.**

The simplest and most practical in use. It is a safe lock for the window when closed. The lower sash may be raised or the upper one lowered six inches, and be secure from tramps and others who are watching for open windows.

The Lock is very easily applied by anyone.

**Price 35 cents each.**

*Special rates to the trade.*

FOR SALE BY

**E. A. CARLISLE, POPE & CO.,**

HAYMARKET SQUARE,

Corner Sudbury St.,

**BOSTON, - - MASS.**


TRY THE

**Hatch-Wall  
Flashing**

For Window and Out-  
side Door Frames;

cut exact lengths; no  
waste.

We carry a full as-  
sortment in stock.



**E. A. CARLISLE, POPE & CO.,**

Successors to

**LEVI BOLES & SON,**

DEALERS IN

**WINDOWS AND WINDOW FRAMES,**

---

Window Weights and Cord,

Cellar Sashes and Frames,

Hot-bed and Skylight Sashes,

Blinds and Blind Trimmings,

Doors and Door Frames,

Outside and Inside Thresholds,

Framing Pins,

Screen Doors and

Window Screens,

ALSO,

**WINDOW GLASS.**

---

**HARD-WOOD DOORS**

And ODD WORK of every description

**MADE TO ORDER.**



ORDER WORK A SPECIALTY.

ALWAYS SEND ORDERS FOR

QUALITIES GUARANTEED.

• Windows, •  
Doors, Blinds, Window  
and Door Frames, Glass, etc.

TO

**E. A. CARLISLE, POPE & CO.**

SUCCESSORS TO

**LEVI BOLES & SON**

HAYMARKET SQUARE,

cor. Sudbury St.

**BOSTON.**

LOWEST PRICES.

SEND FOR SIZE LIST.

\*